

**TI-WRITER  
TIPS AND TRICKS**



SPONSORED BY  
**THE BOSTON COMPUTER SOCIETY  
TI-99/4A USER GROUP  
JUNE, 1986**

**\$5.00**

---

## TI-WRITER TIPS AND TRICKS

---

Have you ever gotten "weird" or unexpected results from your TI-WRITER. I have, and for a long time I thought it was just because I hadn't read the manual carefully enough. Well that was only partially true. TI-WRITER has some peculiar quirks especially in the FORMATTER and until you understand why it does what it does you too will be frustrated with your word processor.

I have compiled the following collection of problems, solutions, quirks and shortcuts from several sources. Two are from Jim Peterson's TIPS FROM THE TIGERCUB column which appears in numerous club newsletters. A number of items came from a talk given by Peter Hoddie of the Boston Computer Society's TI-99/4A User Group. The Transliterate file was published in Micropendium and the long line printing tip came from Manners Newsletter. The rest came from my own experiments with TI-WRITER and my GEMINI STAR 10X Dot Matrix Printer.

These notes are meant to SUPPLEMENT your TI-Writer Manual and to help you find answers to some questions like:

"HOW DID THAT HAPPEN?....."  
"IS THERE A WAY TO?...."  
"WHAT DID I DO WRONG?...."  
"HOW CAN I DO THIS MORE QUICKLY? ...."

**PLEASE NOTE:** Whenever I have shown an example of a one line command throughout this booklet, I've assumed that you already know how to enter the *COMMAND ESCAPE* line by using *FUNCTION 9*. I've also omitted the "ENTER" after the first one or two letters of the command and the "ENTER" at the end of the command.

---

Written and Compiled by:  
Joyce Corker, BOSTON COMPUTER SOCIETY  
TI-99/4A USER GROUP meetings held on the  
Third Wednesday of each month 7:30 P.M.  
For more information: 227-0170  
BBS: 331-4181 or 335-8475

© JANUARY 1986: MAGNETIC USER GROUP DISK EDITION  
© UPDATE: JUNE 1986 SPONSORED BY BOSTON COMPUTER SOCIETY



---

**TI-WRITER QUIRKS, SHORTCUTS AND OTHER THINGS YOU  
MIGHT HAVE MISSED IN THE MANUAL  
(OR THAT WERE NOT IN THE MANUAL!)**

---

**LOADING A FILE**

You probably already know that L(oad) F(ile) DSK1.FILENAME will load a Display/Variable 80 file from your Disk, but did you know that you can load just part of a file or merge two files together? Suppose you've just typed a document, and you suddenly remember that you've got a chart in another document that would fit perfectly at this point in your current text. You can load all, or a part of that old file into your new one very quickly and easily when you know how!

**LF 45 DSK2.MYFILE2** will load your **WHOLE** file MYFILE2  
after line 45 of your text  
or

**LF 7 10 20 DSK2.MYFILE2** will load **PART** of MYFILE2  
(Lines 10 thru 20 after line 7)

---

**COPYING OR MOVING LINE(S)** from one place to another.

**COPY** (repeats or duplicates a line)

**MOVE** (picks up a line and moves it to a new location and deletes it from it's original location.)

Suppose that you are typing a document that has a very complex line which you have to use again at the bottom of the page. Rather than retype it, simply use **FUNCTION 9 (COMMAND ESCAPE )** and **C(opy) 2 2 23**. That means take line 2 and only 2 and copy it below line 23. Of course if a line is in the wrong place, you can **M(ove)** it to a new location just as easily with **M(ove) F(ile)**.

**C 1 10 23** means take lines 1 thru 10 and repeat them below line 23. Now you have lines 1 to 33!

**CONTROL 5** will duplicate the line above it.  
**CONTROL 5** will duplicate the line above it.

**M 1 10 23** will remove lines 1 thru 10 and place them below line 23.



---

## FILL / ADJUST / INDENT

Have you ever used *INDENT* commands in a letter only to have them ignored when you printed it, or tried to right justify your margins and failed? The answer is in knowing that *FILL*, *ADJUST*, and *INDENT* are all related to each other, and have specific rules for their usage.

*FILL* must come before *ADJUST*.

*FILL* and *ADJUST* are turned on and off together.

As the song goes ..."you can't have one without the other..."

*INDENTS* will be ignored if you don't have *FILL*.

All *FILL* (*FI*) commands can be turned off with *NO FILL* (*NF*) within your text. *ADJUST* (*AD*) commands can be turned off with (*NA*) *NO ADJUST* within your text. *INDENT* can be set either on the command line, OR within your text as a plus or minus from the left margin.

---

## TAB STOPS

Want to move around within your document more quickly? Use *CONTROL 7* to tab to the next word.

Want to automatically *INDENT* whenever you hit "new paragraph" (*CONTROL 8*). Enter the *Command Escape* and hit T(ab). Simply place the letter "I" where you want the first line of each paragraph to start. Then, when you hit *CONTROL 8* in the body of the text, the cursor will automatically appear at the indented point in your line.

---

## DOES WORKING WITH "WINDOWS" DRIVE YOU CRAZY?

Use *T(AB)* and set your left margin at 1 or 2 and your right margin at 38. Use *FUNCTION 0* to remove the line numbers at the left. You now can see your entire page and you can type away to your heart's content with word wrap (the solid cursor) on.


When it comes time to transfer your document to disk, you have two choices. If you want to save the *T(AB)* stops, you can use *S(ave) F(ile)*, but if you want to save your document without the short margins, use *P(rint) F(ile)* and print to disk without tab stops. You can then reload your file into the *EDITOR* and reset the margins to 10 and 70 or whatever you like to use with a full 80 character print line. You can now use *REFORMAT (Control 2)* to rearrange each of your paragraphs. Be sure that each of your paragraphs has a *C/R* on the line above where it starts, and on a line below the last sentence, *BEFORE* you reformat. Reformat uses the *C/R*'s to delineate a paragraph. Otherwise, reformat considers everything you've typed as one giant paragraph and will rearrange it accordingly!

---

**DELETE** Want to delete the end of a line? Use *CONTROL K* to remove everything from the cursor to the end of the line.

Want to delete all the lines from line 45 to the end of the document, but you don't remember what line number is the *E* (nd)?

No problem: **D 45 E** will do it!



---

## INFREQUENTLY USED CONTROLS and FUNCTION KEYS:

We are all familiar with some of the frequently used control and function keys. However, here are several useful ones you may have forgotten. By the way, many of them can be activated in TWO ways. If you find one method a problem to use, or remember, use the alternate!

---

BACK TAB  
BEGINNING OF LINE  
CHANGE SCREEN COLOR  
COMMAND ESCAPE  
CURSOR

DELETE CHARACTER  
DELETE END OF LINE  
DELETE LINE  
DOWN ARROW  
DUPLICATE LINE  
ERRORS  
HOME CURSOR  
INSERT BLANK LINE  
LAST PARAGRAPH  
LEFT ARROW  
LEFT MARGIN RELEASE  
LINE NUMBERS DISPLAY  
LINES

NEW PAGE  
NEW PARAGRAPH  
NEXT PARAGRAPH  
NEXT WINDOW  
OOPS!

PARAGRAPHS  
RECOVER EDIT (RE)

REFORMAT  
RIGHT ARROW  
ROLL DOWN  
ROLL UP  
SCREEN COLOR  
TAB (Right or Forward)

WORD TAB  
WORD WRAP

CONTROL T  
CONTROL V  
CONTROL 3  
CONTROL C or FUNCTION 9  
(SEE: HOME CURSOR, BACK  
TAB, TAB, WORD WRAP)  
CONTROL F or FUNCTION 1  
CONTROL K  
CONTROL N or FUNCTION 3  
CONTROL X or FUNCTION X  
CONTROL 5  
(SEE: OOPS! and RECOVER EDIT)  
CONTROL L  
\*\* CONTROL G or FUNCTION 2  
\*\* CONTROL H or FUNCTION 6  
CONTROL S or FUNCTION S  
CONTROL Y  
FUNCTION 0 (zero)  
(SEE: INSERT BLANK, BEGINNING,  
DELETE, DUPLICATE, OOPS)  
CONTROL 9 or CONTROL P  
\*\* CONTROL 8 or CONTROL M  
\*\* CONTROL 4 or CONTROL J  
FUNCTION 5  
CONTROL 1 or CONTROL Z (SEE:  
RECOVER EDIT)  
(SEE: NEW, NEXT, LAST)  
Will recover most of text that has been  
accidentally PURGED. Might not recover all of line 1.  
\*\* CONTROL 2 or CONTROL R  
CONTROL D or FUNCTION D  
CONTROL A or FUNCTION 4  
CONTROL B or FUNCTION 6  
CONTROL 3  
CONTROL I or FUNCTION 7 (SEE:  
BACK, WORD TAB)  
CONTROL 7 or CONTROL W  
CONTROL 0 (zero)



---

\*\* OPERATION IS CHANGED IN FIXED MODE  
(HOLLOW CURSOR)

---

## FIND or REPLACE a letter or word (STRING)

F(ind) or R(eplace) S(tring) are powerful tools, but they have some quirks that you have to keep in mind. Each of them start their search from the cursor position, so if you want to search your entire text, you have to move the cursor to the left margin of line 1 BEFORE you use *COMMAND ESCAPE* and start your search! They are both responsive to Word Wrap Mode.

F(ind) S(tring) will find any word or letter you ask for, BUT if you ask for a word in upper case or mixed cases and the word appears in the text in lower case, FS will NOT find it! Thus if your "lost" word appears at the beginning of a sentence with a single capital letter, the computer won't find it.

R(eplace) S(tring) will automatically replace one word or letter with another BUT, it too will not find an upper case word if you ask for a lower case or any mixed cases.

R(eplace) S(tring) is powerful, but you must always keep in mind that it is just a dumb computer! It looks for the EXACT arrangement of letters you give it, even if that arrangement is part of another word! This can wreak havoc with your text if you just replace "ALL" without double checking as it goes through your text! Unless you are very, very sure of yourself, ALWAYS use the "Yes/No/Stop *OPTION*," not the "ALL" Replace Option! It may take a bit more time, but it will save you a headache later if you have to go through your text to find all the words that were unintentionally changed.

---

## MORE QUIRKS WITH FIND AND REPLACE STRING

Try this pesky example for yourself: Enter a line with the word "ampersand" in it. Then move the cursor to the left margin of line one and use *FUNCTION 9* to *COMMAND ESCAPE*. Enter R(eplace) S(tring) and enter /and/+/ . When given the option, select the Replace ALL. Look at what happens to the word "ampersand"! It is now, "ampers+ "! The "and" arrangement of letters was replaced with a plus sign, just as you asked! Peter Hoddie found a partial answer to this problem by inserting a space before and after the word "and" and the (+) symbol in the RS command, but then he discovered other problems because ALL would miss all other occurrences of the word "and" because there are no leading or trailing spaces! The only real solution is to take the time to look at each occurrence of "and" as the computer finds it and then decide at that time to answer Yes or No (replace).

---

If you need to search for information in a fixed formatted document, you can even search in a particular column.

RS 1 10 /Old/New/

This will search for the word "Old" only in columns 1 thru 10 and replace it with "New". This is especially useful if you are looking for numbers in your text.



---

## THAT DARN PUNCTUATION MARK!



Have you ever tried to print a document through the FORMATTER and had a whole line of text vanish? I've often suspected that Texas Instruments has a resident Poltergeist who lives in the not-very-benign Format Section of TI-Writer! Usually this vanishing line act happens when a line of text begins with a period - the computer thinks it's getting a command! The FORMATTER is looking for instructions and like Pavlov's dogs, the first time it sees it's signal (a period as the first character on a line), it figures "here comes my command".

Another annoying problem is that the FORMATTER ALWAYS inserts two spaces after the period, question mark, and exclamation point. Sometimes you don't want two spaces! You can, of course, print out of the EDITOR, but sometimes you have to use the FORMATTER. You can use the caret (^) symbol for required space between words instead of a period. For example: A.^B.^C.^Company. You can also use transliterate to substitute another character for the period, and to force only one space after the question mark, and exclamation point. .TL 62:46 substitutes a greater than sign (>) for the period. .TL 63:63,32 and .TL 33:33,32 substitutes the characters (?) and (!) for the symbol followed by ONE SPACE each.


I always find it handy when I'm working on a text that has a great many formatting controls and transliterations to print my first few drafts to disk (file). In the end, it saves time, paper, and lots of frustration when these nasty little quirks pop up! (See Print Section).

---

## THE ASTERISK "BUG" IN THE FORMAT MODE:

Jim Peterson found the solution to another annoying problem in the FORMATTER. When you are trying to print a series of letters and numbers that have an asterisk with them, the computer thinks you are asking for a value file or mail merge file (See: TI-Writer Manual page 113) and your letters and numbers will vanish! For example: try to print out the letter A followed by an asterisk followed by the numbers 256. You will find that the FORMATTER turns it into "A6"! In order to get the original combination, you have to insert two extra "dummy" digits. Thus, you have to use "A\*\*25256" to get "A\*256".

---



---

## UNDERLINING WITH THE GEMINI IN TI-WRITER

Jim Peterson discovered in his Tips #20 that if you use the ampersand symbol to trigger underline in the FORMAT section that you will only get one word of your text underlined and that will be a broken line. The only way to get several words underlined is to use the caret symbol between words.

Try printing this page in both the EDITOR and the FORMATTER and compare the results in the following lines.



&Underline one word only with the ampersand &&

&Underline^two^or^more^words^if^you^use^carets^between^words.&

To use the ampersand in your text, you must use two of them to get one printed! &&

FROM  
EDITOR



Underline one word only with the ampersand &

Underline two or more words if you use carets between words.

To use the ampersand in your text, you must use two of them to get one printed! &

FROM  
FORMATTER



An easier solution to the problem is to use the *CONTROL U* solution. This method will produce a continuous underline from the point where you turn it on to the point where you turn it off, and this method works in the EDITOR as well! Just be careful with the OFF Shift 2 which produces the "at" (@) symbol because that also controls Double Strike printing and Escape. You can put your *Control U* symbols in front of the first character you want underlined, and on the same line as well! The ON combination produces a figure that looks like a fraction 1/b and then a 1 with a dot over it. The OFF symbol is the same 1/b but the last figure looks like a zero with a dot over it.

*CONTROL U, FUNCTION R, CONTROL U, SHIFT HYPHEN*  
*CONTROL U, SHIFT A, CONTROL U*  
Turns the underline On.

1b-1

*CONTROL U, FUNCTION R, CONTROL U, SHIFT HYPHEN*  
*CONTROL U, SHIFT 2, CONTROL U*  
Turns the underline Off.

1b-0



---

## SHOW DIRECTORY

By the way, whenever you are using **S**(how) **D**(irectory) be careful not to hit **FUNCTION QUIT** by mistake. Normally this function is disabled when you are working in the TI-WRITER, but this particular task is performed outside of the EDIT program by a program contained in the module and the **FUNCTION QUIT** is very much alive and active! If you hit it in error, say **GOODBYE** to any text you might have had partially composed in the EDITOR!

---

## SAVING YOUR DOCUMENT

Normally you would **S**(ave) **F**(ile) and store your whole document on disk, but there are times when it would be useful to save only a portion of your text.

### SAVE PART OF A FILE:

Use: **SF 10 20 DSK1.MYFILE** To save lines 10 thru 20.

Or: **SF 45 E DSK2.MYFILE**

**E**(nd) when you can't remember the last line number



---

## "PRINTING" TO DISK FROM THE EDITOR

There are times when you may want to store your document on disk with the **P**(rint) **F**(ile) command instead of the usual **S**(ave) **F**(ile). **PRINT FILE** offers some unique features such as control character removal.

Use: **PF C DSK2.MYFILE**


This prints the file to disk (instead of printer) leaving out all of the control characters.

---

## WANT A LONGER PRINTING LINE (over 80 characters?)

Set your printer for Condensed or Elite fonts **BEFORE** entering TI-Writer or use the Control U Edit Codes (See: Chart). **DO NOT TURN YOUR PRINTER OFF** after setting the fonts. Enter TI-Writer Editor and type the following on line one:

**.LM 10;RM 120;FI;AD**



Enter the **FORMATTER** and call for your file as usual. It will now print out with lines up to 120 characters long.

---


**MORE SPECIAL FEATURES OBTAINED BY  
"PRINTING" YOUR DOCUMENT FROM THE EDITOR:**

---

You can PRINT to either your printer OR to your disk! Printing from the EDITOR is similar to "LIST" in Extended Basic.

Want to save the line numbers?

Use: PF L PIO  
Or: PF L DSK1.MYFILE



Want to print only the last few lines?

Use: PF 49 63 PIO  
Or: PF 49 63 DSK1.MYFILE


Then only lines 49 thru 63 (or whatever the line numbers you want) are stored.

Can't remember the last line number?

Use: PF 48 E PIO  
Or: PF 48 E DSK1.MYFILE

Want to store a file in DISPLAY/FIXED 80 file format (so you can edit your Editor/Assembler object code files?)

Use: PF F DSK1.MYFILE



**CONTROLS CODES THAT WORK IN THE EDIT MODE  
WITH THE GEMINI STAR 10X PRINTER**

	LOOKS LIKE	(ESCAPE)** CONTROL U FUNCTION R CONTROL U	SHIFT
DOUBLE STRIKE ON	1/bG	URU	G
DOUBLE STRIKE OFF	1/bH	URU	H
EMPHASIZED ON	1/bE	URU	E
EMPHASIZED OFF	1/bF	URU	F
ENLARGED ON	1/bW.1	URU	W CNTL U,SHIFT A,CNTL U
ENLARGED OFF	1/bW.0	URU	W CNTL U,SHIFT @,CNTL U
CONDENSED ON	1/bB.3	URU	B CNTL U,SHIFT C,CNTL U
ELITE ON	1/bB.2	URU	B CNTL U,SHIFT B,CNTL U
ITALICS ON	1/b4	URU	4
ITALICS OFF	1/b5	URU	5
SUBSCRIPT ON	1/bS.1	URU	S CNTL U,SHIFT A,CNTL U
SUBSCRIPT OFF	1/bT	URU	T
UNDERLINE ON	1/b-.1	URU	HYPHEN CNTL U,SHIFT A,CNTL U
UNDERLINE OFF	1/b-.0	URU	HYPHEN CNTL U,SHIFT @,CNTL U
FANCY DOWNLOADS ON	1/b>	URU	>
FANCY DOWNLOADS OFF	1/b#	URU	#
DOUBLE WIDTH OFF	1/bW.0	URU	W CNTL U,SHIFT @,CNTL U
DOUBLE WIDTH ON	.e	CONTROL U,SHIFT N,CONTROL U	
LINE FEED	L/F	CONTROL U,SHIFT J,CONTROL U	
CARRIAGE RETURN	C/R	CONTROL U,SHIFT M,CONTROL U	



**\*\* THE ESCAPE CODE LOOKS LIKE 1/b AND IS PRODUCED WITH CONTROL U,  
FUNCTION R, CONTROL U**

---

## PRINTING FROM THE FORMAT SECTION:

The format section has the most "Bugs" in TI-WRITER, mostly because of the way it gets its commands. The worst offenders are asterisks, periods, ampersands, carets, the pound (or number) symbol, and the little "at" symbol. ALL OF THESE WILL cause problems occasionally and they can be very frustrating! Expert TI-WRITER users avoid the FORMAT section and print from the EDITOR whenever possible, or they check their formatting instructions by first printing to DISK. Some use the TRANSLITERATE commands, but have found that TL 's can also cause problems! The best choice is to use the *CONTROL U* methods which are poorly documented in the TI-Writer manual but which others have figured out and published. See other sections in this booklet for some of the most common formatting problems and their solutions.

---


## USING TRANSLITERATE CODES

Transliterate codes are signals used to trigger the printer into performing a task such as changing the type style, or emphasizing the print. Transliterate works, but if you have a lot of chores you want the printer to perform, it will use up a lot of your symbol keys. Ron Castleton developed a set of transliterate codes that were published in *Micropendium* in February 1985 which take advantage of the *CONTROL U* methods which are poorly explained in the TI-Writer manual. The use of these codes will not take away ASCII keys that you might otherwise want to use.

## USING A TL STANDARD FILE OF CODES

Type in the TRANSLITERATE file shown on page 13 of this booklet. Each .TL command must be entered on a separate line, ending with a carriage return. **DO NOT** type in the Rem (!) statements after the .TL figures. After you have finished typing, you can remove the carriage returns before you save the file to disk. Save the file with the name **TLS**.

Next, type in a sample text using the various combinations of CONTROL U and other keys at specific points throughout the text. Save your file, exit the EDITOR and enter the FORMATTER. When it asks for INPUT FILE, use: **DSK1.TLS**. Be sure your Printer is turned on before you hit the ENTER key. The TLS file will now send all of your Transliterate Codes to memory. **DO NOT TURN YOUR PRINTER OFF AFTER THIS STEP.**



## USING A STANDARD TL FILE (CONTINUED)

You will then see a question pop up on the screen that asks "DSK\_.\_Filename?" This is the DEFINE PROMPT for a VALUE FILE that you typed at the bottom of the TLS file. It asks you for the Disk Number and Name of the file you want printed. After you have entered DSK1.MYFILE, the FORMATTER will automatically load and start to print your document. Whenever it encounters one of your *TL* commands in the text, the printer will substitute the codes and start to print as you have specified.

If you are not using the Star 10X Gemini Printer, as I have, you may have to adjust some of the codes to match whatever printer you are using. You will find that even the newer Gemini Printer uses a few slightly different codes than my older one. But, now that you understand the transliterate concept, you will find it an easy task to substitute the correct codes for your particular printer in place of the codes I have used.

Check your printer manual to be sure that your printer offers similar features such as different type fonts, download characters, and density control. If it does, simply insert your printer's number codes in place to the right of the colon in the *TL* command. Of course, the codes are interchangeable. If you find that you need one of the ASCII symbols frequently in your text, then substitute the ASCII NUMBER of another key that you don't use as often.



# A TRANSLITERATE FILE THAT YOU CAN TYPE AND SAVE FOR FUTURE USE

! REM NOTATIONS ARE FOR INFORMATION ONLY, DO  
NOT INCLUDE IN YOUR FILE

```
.LM 10;RM 70      ! left and right margin notations
                  ! note when several commands are on one line
                  ! you use only the semi-colon, and no period
                  ! between the parts. TL commands MUST be on
                  ! separate lines alone.

.TL 123:27,52     ! { left brace:start Italics
.TL 125:27,53     ! } right brace:stop Italics
.TL 91:27,83,0    ! [ left bracket:start superscript
.TL 93:27,83,1    ! ] right bracket:start subscript
.TL 124:27,84     ! Function A (!):stop super and subscript
.TL 1:27,66,3     ! Ctrl U Shift A Ctrl U:start Condensed
.TL 17:18         ! Ctrl U Shift Q Ctrl U:stop Condensed
.TL 2:27,87,1     ! Ctrl U Shift B Ctrl U:start Enlarged
.TL 18:27,87,0    ! Ctrl U Shift R Ctrl U:stop Enlarged
.TL 3:27,66,2     ! Ctrl U Shift C Ctrl U:start Elite
.TL 19:27,80      ! Ctrl U Shift S Ctrl U:stop Elite
.CO 0:27,64       ! Ctrl U Shift 2 Ctrl U:reinitialize printer
.TL 16:7          ! Ctrl U Shift P Ctrl U:sound printer bell
.TL 11:27,78      ! Ctrl U Shift K Ctrl U:skip over perforation
.TL 27:27,79      ! Ctrl U Shift R Ctrl U:stop perforation skip
.TL 4:27,45,1     ! Ctrl U Shift D Ctrl U:start solid underline
.TL 20:27,45,0    ! Ctrl U Shift T Ctrl U:stop solid underline
.TL 21:27,71      ! Ctrl U Shift E Ctrl U:start doublestrike
.TL 5:27,72       ! Ctrl U Shift U Ctrl U:stop doublestrike
.TL 6:27,69       ! Ctrl U Shift F Ctrl U:start emphasized
.TL 22:27,70      ! Ctrl U Shift V Ctrl U:stop emphasized

CTRL U,Shift P, ! Enter sound bell code
CTRL U

CTRL U,Shift E, ! Start double strike
CTRL U

.DP 1:DSK_.Filename?! DEFINE PROMPT will appear after the TL
.IF *1*          ! codes have been processed.
                 ! INCLUDE FILE will then ask
                 ! for a Disk Drive number and Filename. If
                 ! you have used the correct codes throughout
                 ! your text, it will then be printed
                 ! as you have specified.
```

NOTE: These transliterate codes will work with the Gemini Star 10X printer. If your printer uses different codes for the various type styles and other features, you will have to adapt this file to fit your printer. (See text for details).

---

## "PRINTING" YOUR FILE "TO DISK" FROM THE FORMATTER:

If you are not absolutely sure of your printing commands, you can save lots of time, effort, and paper by printing your files to disk from the FORMATTER.

Here's How to do it:

- (1) Type your text in the EDITOR mode as usual and insert the various formatting commands where needed.
- (2) S(ave) F(ile) to Disk SF DSK2.MYFILE
- (3) EXIT EDITOR and ENTER the FORMAT SECTION
- (4) Specify DSK1.Filename in place of the usual PIO.CR (or RS 232...)

```
INPUT FILENAME: DSK1.MYFILE
PRINT DEVICENAME: DSK1.P_MYFILE
MAILING LIST: No
PAGES: ALL
COPIES: 1
PAUSE AT END OF PAGE: No
```


- (5) RE-ENTER THE EDITOR and LF (LOAD FILE)  
**DSK2.P\_MYFILE**

Look what has happened! The FORMATTER has added L/F 's (line feeds) at the top and bottom of each page as well as at the end of each line! You can delete some of the extra lines at top and bottom of the page if you don't want them and save this file back to disk as P\_MYFILE.

Want to get rid of the extra line feeds added when you printed to disk instead of to the printer from the FORMAT section? You can use D(etele) for the extra blank lines but for the line feed symbols at the end of each line, use R(eplace) S(tring). Be CAREFUL! If you enter the *COMMAND LINE* with WORD WRAP ON, and you have typed your text in FIXED MODE (with WORD WRAP OFF), you will get a jumbled text. Use *CONTROL 0* (zero) to get a hollow cursor BEFORE you enter the *COMMAND ESCAPE* (Function 9).

Then Use: RS /CONTROL U SHIFT J CONTROL U//

- (6) If there are errors in your formatting commands, return to your original file (MYFILE) and make your corrections there. Then repeat steps 1 thru 5.
- (7) When everything looks good --- then print to paper!



## HOW TO GET GEMINI PRINTER SPECIAL CODES THRU TI-WRITER

Thanks to Jim Peterson's Tips from the Tigercub #26 we know how to access those special printer codes available on the Gemini Star Printer (called "download codes"). They are useful for fancy borders, scientific symbols, math symbols, Greek, foreign symbols, etc. They work in the editor too!

They are easy to trigger with just a few key shifts. Use the *Control U, Function R, Control U, Shift > (greater than), Control U*, to START the download and *Control U, Function R, Control U, Shift # (pound or number sign), Control U* to STOP the download. In between the START and STOP signals, you place an ASCII character "stand-in" for the character you really want. To find out which character will stand in for another, you can subtract 128 from the number of the character that you want, or if you have a Gemini Printer like mine, you can simply refer to the chart on page 16. It all looks a bit complicated, but once you understand the basic concept, you'll find it is easy! The only substitute key that is a little confusing is ASCII 32 which is the space bar. When you place a series of spaces between your START and STOP *CONTROL U* signals, you will get a series of characters that look like an upward curve on the the Gemini (character 160). The only other character to avoid is (127) which the 99/4A reserves for itself. All of the rest are easy: To get the solid diamond pattern (character 174), you place a series of periods between the START and STOP CONTROLS.

16>

16#

```

_____ (small h)
/\/\/\/\/\/ (left bracket)
\_\_\_\_\_\ (tilde)
- - - - - (small f)
_____ (small h)
  
```


```

_____
  NOW YOU CAN EVEN PUT
    A FRAME
  AROUND A PORTION OF YOUR TEXT
_____
  
```

```

◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
◆◆          ◆◆
◆◆  ADD      ◆◆
◆◆ FANCY EDGES ◆◆
◆◆ TO YOUR   ◆◆
◆◆ NEWSLETTERS ◆◆
◆◆          ◆◆
◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○
AND THEY EVEN
WORK
IN THE EDIT
MODE!!!
○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○
  
```





## **USING THE TI-WRITER MODULE WITH YOUR MODEM**

By Joyce Corker and Sal Abbadessa  
MAGNETIC USERS GROUP, North Andover, MA

Sal and I were wondering one day "is there a way to transfer a file over our modems using our TI-WRITER MODULES instead of our Terminal Emulator II Module". We were both familiar with the other method of transferring files via Extended Basic from one TI-99/4A to another. I mentioned that I had tried using the TI-WRITER MODULE once and had partially succeeded, but ran into problems with control codes in the text. Three hours later, we had found the solution to our problem!

---

### **SENDING PARTY:**

Compose text as usual in TI-WRITER. However when it comes time to store it on disk, use PRINT FILE with no control characters.

**PF C DSK2.README**

Exit the EDITOR section of TI-Writer and enter the FORMAT section.

**FILENAME: DSK2.README  
DEVICE NAME: RS232.LF  
USE MAILING LIST: N  
WHAT PAGE(S)? (ALL)  
NUMBER OF COPIES? 1  
PAUSE AT END OF PAGE? N**

---

**CHECK -- To be sure that the RECEIVING PARTY IS READY before you toggle the SENDING MODEM ON. When everything is ready, hit "ENTER."**

---

---

## RECEIVING PARTY:

Enters the EDITOR section of TI-WRITER and prepares to LOAD FILE.

LF RS232.LF

When the sending party is ready to send, wait until you hear the squeal of his modem, then toggle the receiving modem on and hit the *ENTER* button. You won't see anything on your screen, but the lights on your expansion box will flicker. Then if everything has been done correctly, the file will suddenly appear. Then **S(ave) F(ile)** to your own disk in the usual manner.

If you don't get your timing correct, you may lose part or all of line one. You can recover most of it with "**OOPS**" (*Control 1*), but it is easier to simply be sure that your text starts with one or two blank lines.

### CORCOMP DISK CONTROLLER WITH THIS TYPE OF TRANSFER

**NOTE:** Sal found that he had to EXIT his CORCOMP SCREEN by hitting the space bar twice to get the normal TI Screen before we could transfer files in this manner. There is an involved technical explanation, but in simple language, it amounts to the fact that by working from the TI-COLOR BAR TITLE SCREEN rather than from the CORCOMP SCREEN your RS232 will be initialized correctly.

The receiving party will note that he will have a line feed at the end of each line, and this will give him a double spaced text when it is printed. These can be removed with **R(eplace) S(tring)**. Use **RS/Control U Shift J Control U //** to replace the line feed symbols with a space. Another way to get rid of the line feed symbols is to PRINT your file to disk without control codes. Use: **PF C DSK1.MYFILE**.

This is a handy technique to quickly and easily transfer any file in the Display/Variable 80 format.



## TI-WRITER LOADERS AND MODIFICATIONS

By Peter Hoddie


When **TI-Writer** was originally released by Texas Instruments it came with both a cartridge and a disk. The main reason for this was to prevent copying of the program. Most of the TI-Writer program resides on the disk in the files EDITA1, EDITA2, FORMA1, and FORMA2. The only thing the cartridge really contains is the main TI-Writer menu and the disk catalog (**SD**) command. Everything else is on disk. When TI pulled out of the home computer market they released into the public domain an update disk for TI-Writer. The update disk has a true lowercase character set, eliminates the annoying initial line feed from the formatter, and provides for a default printer setting from the formatter. Also on the disk were a set of Multiplan updates.

Realizing that most of the code for TI-Writer was now public domain, Tom Knight sat down to find a way to run TI-Writer without the TI-Writer cartridge. He succeeded and the result was a public domain version of TI-Writer called **TK-Writer**. The only real difference between it and the cartridge version was that the Show Directory command didn't work since its code was originally stored in the cartridge. However once Knight had solved the problem of running TI-Writer without the cartridge several other clever programmers found ways to add the Show Directory command to the non-cartridge version of TI-Writer. There are now several different versions of TI-Writer available, all of which make improvements upon the original.

From Paolo Bagneresi in Italy there is **BA-Writer**. This version of TI-Writer has a very fast Show Directory command, and allows catalog of the disk from the formatter (very useful if you tend to forget file names). It allows changing of printer defaults and screen colors, and printing of multiple files from the formatter without having to reload the formatter each time. BA-Writer has many other features including foreign language character sets and support for various RAM disks. It is exceptionally well documented.

From Australia by the McGovern brothers there is **Funnel Writer**. This is much more than just a version of TI-Writer. It has most of the features of BA-Writer but also includes most of the features of the Editor/Assembler cartridge (with many improvements), a complete disk manager, disk sector editor, loader, and many other incredible features. This program has been hailed as one of the most significant ever released for the TI.


TK-Writer, BA-Writer, and Funnel Writer are all **FAIRWARE** programs which means that you are free to copy the disk but if you use it, you are expected to send a donation (usually no more than \$15) to the author. All these programs, as well as the TI-Writer and Multiplan updates, are available through Boston Computer Society's TI User Group public domain software library. For ordering information see the end of this booklet.



## QUICK REFERENCE CHART

### LOAD FILE

LF 10 20 DSK1.MYFILE will load lines 10 thru 20  
LF 45 DSK1.MYFILE2 will load MYFILE2 after line 45



### COPY, MOVE or DELETE LINES

C 1 10 23 will copy line 1 thru 10 after line 23  
C 5 5 12 will copy line 5 only after line 12  
CONTROL 5 will duplicate the line directly above itself  
M 1 10 23 will remove lines 1 thru 10 and place them below 23  
CONTROL K deletes remainder of line after cursor  
D 45 E deletes lines 45 to end of file



### FANCY LINES (Download)

**1b>** START: Control U, Function R, Control U, Shift greater than symbol(>) **1b#**  
DOWNLOAD: See Gemini Chart for character "stand-in"  
STOP: Control U, Function R, Control U, Shift 3 (#) Symbol

### SOLID UNDERLINE

**1b-0**

**1b-1** TURN ON with CTRL U,FCTN R,CTRL U,HYPHEN,CTRL U,SHIFT A,CTRL U  
TURN OFF with CTRL U,FCTN R,CTRL U,HYPHEN,CTRL U,SHIFT 2,CTRL U


### F(IND) S(TRING), R(EPLACE) S(TRING)

Move the cursor to the left margin of line 1 BEFORE entering COMMAND ESCAPE. Use slashes before and after the strings. Watch out for UPPER and lower case letters! If working on a FIXED FORMATTED document, go to the hollow cursor (CONTROL 0) BEFORE searching for a string. ALWAYS use the Yes/No/Stop Option!



### SAVING TO DISK

SF 10 20 DSK1.MYFILE saves lines 10 thru 20 only  
SF 45 E DSK1.MYFILE save line 45 to end of file only




### LONG PRINTING LINES

Use .LM 10;RM 120;FI;AD as Line one of your document

### "PRINTING" FROM EDITOR (TO PRINTER OR DISK)

PF L PIO (OR RS232...) will print line numbers as well  
PF 49 63 PIO (or DSK1. MYFILE) will print only lines 49 thru 63  
PF 48 E PIO (or DSK1. MYFILE) will print lines 48 to end of file  
PF L PIO (or DSK1. MYFILE) prints lines numbers to file  
PF C DSK1.MYFILE prints to disk without control characters  
PF F DSK1.MYFILE prints to disk in Fixed 80 Format



### PRINTING TO DISK FROM THE FORMATTER

Replace PIO (or RS232...) with DSK1.P\_MYFILE

## CREDIT WHERE CREDIT IS DUE!

A special note of thanks to PETER HODDIE of the Boston Computer Society's TI-99/4A User Group who made this hard copy edition of TIPS & TRICKS possible! He put in many hours editing my rough drafts not only keeping me on my toes for style but amplifying and correcting my text with his technical knowledge. Peter also put in still more hours at BCS headquarters adapting the final draft to a laser printer!



J. PETER HODDIE  
TI-99/4A USER GROUP  
BOSTON COMPUTER SOCIETY  
One Center Plaza  
Boston, MA 02108



MANNERS NEWSLETTER  
WASHINGTON D.C. AREA  
USERS GROUP  
4100 Canterbury Way  
Temple Hills, MD 20748

JIM PETERSON  
TIPS FROM THE TIGERCUB  
NUTS & BOLTS DISKS  
156 Collingwood Ave.  
Columbus, OH 43213


MICROpendium  
P.O. Box 1343  
Round Rock, TX 78680

FANCY LETTERING FONTS AND ARTWORK FOR THE PRINTED EDITION  
DEVELOPED WITH THE HELP OF THE FOLLOWING GRAPHIC AIDS.

GRAPHX  
P.O. Box C568  
Clarence St.  
Sydney, N.S.W. Australia 2000

GRAPHX COMPANIONS I & II  
ASGARD SOFTWARE  
P.O.B. 10306  
Rockville, MD 20850

TI-ARTIST  
INSCEBOT  
P.O. BOX 260  
Arnold, MD 21012



CARTOONS FROM:  
Pick-Up Book of Cartoon-  
Style Illustrations by  
Dave Ublnas (ARCO  
PUBLISHING)

Thanks also to Sal Abbadessa of the MAGNETIC USER GROUP (North Andover, MA) who helped on the MODEM TRANSFER section.

Thanks to the MAGNETIC USER GROUP who supported the first edition of TIPS & TRICKS issued on Disk and sold first at the NEW ENGLAND TI COMPUTER FAIRE in April 1986.

And last, but definitely not least in my book, my husband, Bill Corker, who also put in several hours of Editing time!

---

# INDEX


Page

---

ASTERISK "BUG" .....	6
CHART OF SPECIAL GEMINI DOWNLOAD CODES.....	16
CONTROL CODES THAT WORK IN THE EDIT MODE (CHART).....	10
COPYING OR MOVING LINES .....	2
CREDIT WHERE CREDIT IS DUE .....	21
DELETE .....	3
DOWNLOAD CHART .....	16
FILL, ADJUST and INDENT .....	3
FIND OR REPLACE STRING .....	5
HOW TO GET GEMINI PRINTER DOWNLOAD CODES.....	15
INFREQUENTLY USED CONTROL AND FUNCTION KEYS .....	4
INTRODUCTION .....	1
LOADERS AND MODIFICATIONS .....	19
LOADING A FILE .....	2
LONGER PRINTING LINES .....	8
PRINTING TO DISK FROM THE EDITOR .....	8-9
PRINTING FROM FORMATTER .....	11
PRINTING FILE (TO DISK) .....	14
PUNCTUATION MARKS .....	6
QUICK REFERENCE CHART .....	20
SAVING YOUR DOCUMENT.....	8
SHOW DIRECTORY .....	8
TAB STOPS .....	3
THAT DARN PUNCTUATION MARK! .....	8
TRANSLITERATE FILE TO TYPE .....	13
UNDERLINING .....	7
USING TI-WRITER WITH YOUR MODEM .....	17-18
USING TRANSLITERATE CODES.....	11-12
WINDOWS .....	3

---












**THE BOSTON COMPUTER SOCIETY  
TI-99/4A USER GROUP  
MEETINGS HELD ON THE  
THIRD WEDNESDAY OF  
EACH MONTH 7:30 PM**

**For a catalog of over 50 public domain software disks  
for \$3 each, please send a self addressed  
stamped envelope to:**

**Boston Computer Society  
TI-99/4A User Group  
One Center Plaza  
Boston, MA 02108**



\* Registered Trademark  
TEXAS INSTRUMENTS INC.



MOST  
ARTWORK  
AND FONTS